

MAPPING PICO-AP / CIDOC-CRM

| AUTORE | REVISORI | DESTINATARIO | REFERENCE MODEL |
|------------------|--|--|--|
| Matteo Lorenzini | Tiziana Scarselli Sara Di Giorgio Antonio Davide Madonna | Progetto "Cultura Italia" Ministero Per i Beni e le Attività Culturali, Istituto Centrale per il Catalogo Unico, Viale Castro Pretorio, 105,00185 Roma | CIDOC-CRM "Erlangen" CIDOC-CRM <i>dig</i> PICO thesaurus 4.3 |

Struttura del mapping

Prefix

Mapping di alto livello

Elementi base

Elementi Qualificati

Relazioni

MuseiD-Italia

Mapping -Oggetto-

Mapping -Collezione-

Mapping-Luogo della Cultura-

PICO

Mapping faccetta "TIPO"

IMMAGINE -E36 Visual Items-

VIDEO -E73 Information Object-

SUONO -E73 Information Object-

TESTO -E33 Linguistic Object-

Mapping Collezione

Collezione -E78 Collection-

Mapping Ente

Ente -E40 Legal Body-

Struttura del mapping

Il seguente schema di mapping si riferisce alla concettualizzazione dello schema di metadati PICO, usato per la descrizione delle risorse digitali presenti nella digital library “Cultura italia”, nell’ontologia fondazionale CIDOC-CRM¹. CIDOC-CRM è già certificato come standard serie ISO 21127:2006 ed impiegato come tale nella concettualizzazione delle risorse nel dominio dei beni culturali e discipline umanistiche.

Il mapping tra PICO AP e CIDOC-CRM è stato sviluppato usando due diversi profili:

- CIDOC-CRM “Erlangen²” in quanto già implementata con le restrizioni logiche tra classi/relazioni e appartenenza a range e dominio relativo.
- CIDOC-CRM*Dig*³ per il mapping dei processi di digitalizzazione attraverso l’impiego della classe **crmdig:D2_Digitization_Process**

Lo schema di mapping seguente si divide nelle seguenti macro-aree:

1. Prefix: vengono riportati i prefix necessari per l’implementazione dell’ontologia nel triple store e per lo sviluppo di query SPARQL
2. Mapping di alto livello: gli elementi PICO vengono mappati nelle corrispondenti classi CIDOC-CRM indipendentemente dalla risorsa mappata. Relazione molti a uno (M:1) per cui, una classe CIDOC-CRM può essere usata per definire più PICO elements. In tali casi sono state definite delle regole di mapping ex: E39_Actor
 - a. Elementi base → mapping degli elementi base di Dublin Core e profilo applicativo PICO
 - b. Elementi qualificati → mapping degli elementi qualificati di Dublin Core e profilo applicativo PICO

¹ <http://www.cidoc-crm.org/>

² <http://erlangen-crm.org/current-version>

³ http://www.ics.forth.gr/isl/index_main.php?l=e&c=656

- c. Relazioni → mapping delle relazioni estratte dagli elementi base e qualificati e contestualizzate nella tripla di E22_Man_Made_Object e E78_Collection

Il mapping degli elementi base, qualificati e relazioni è stato poi applicato nella definizione delle risorse gestite da MuseiD-Italia considerando la relazione tra RISORSA → COLLEZIONE → LUOGO DELLA CULTURA e nella definizione delle risorse presenti in culturaitalia.it in riferimento alle tipologie “IMMAGINE”, “TESTO”, “SUONO” e “VIDEO”.

Prefix

| Modello | Suffisso | Prefisso |
|-------------|---------------|---|
| RDF | xmlns:rdf | http://www.w3.org/1999/02/22-rdf-syntax-ns# |
| RDFS | xmlns:rdfs | http://www.w3.org/2000/01/rdf-schema# |
| OWL | xmlns:owl | http://www.w3.org/2002/07/owl# |
| Dublin Core | xmlns:dc | http://purl.org/dc/elements/1.1/ |
| SKOS | xmlns:skos | http://www.w3.org/2004/02/skos/core# |
| DCTERMS | xmlns:dcterms | http://purl.org/dc/terms/ |
| FOAF | xmlns:foaf | http://xmlns.com/foaf/0.1/ |
| CIDOC-CRM | xmlns:ecrm | http://erlangen-crm.org/current/ |

| | | |
|--------|--------------|---|
| CRMDig | xmlns:crmdig | http://www.ics.forth.gr/isl/CRMext/CRMDig.rdfs/ |
|--------|--------------|---|

Mapping di alto livello

Le triple definite per il mapping di alto livello sono da considerarsi riferite sia `crm:E22_Man_Made_Object` che `crm:E78_Collection`.
Il mapping ha una relazione 1:1 per cui ad un elemento PICO corrisponde un'entità CIDOC-CRM INDIPENDENTEMENTE dalla tripla RDF.

Per le triple specifiche si rimanda alle singole tabelle.

Evidenziate nello stesso colore le entità con relazioni dirette

Elementi base

| PICO ELEMENTS | CIDOC-CRM | NOTE | TRIPLES |
|--------------------|-----------------------|---|---|
| accrualMethod | E87_Curation_Activity | Si applica a E78_Collection e E22_Man_Made_Object | <code>crm:E87_Curation_Activity →</code> <code>crm:P147_curated →</code> <code>crm:E78_Collection.</code> <code>crm:E87_Curation_Activity →</code> <code>crm:P4_has_time_span →</code> |
| accrualPeriodicity | E52_Time_Span | | <code>crm:E52_Time_Span</code> |
| accrualPolicy | E87_Curation_Activity | | <code>crm:E87_Curation_Activity →</code> <code>crm:P2_has_type →</code> <code>crm:E55_type.</code> |

| | | | <p>crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor</p> | | | | | | | | | | | | | | |
|------------------|---------------------------|--|---|---------------------------|----------------|-------------|-------------|--------|--|-----------|---------------|----------|------------------|-------------|-----------------|------------|--|
| contributor | crm:E39_Actor | <p>VARIABILI DI MAPPING “ROLE”</p> <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>dc:contributor</td> <td>contributor</td> </tr> <tr> <td>pico:editor</td> <td>editor</td> </tr> <tr> <td>pico:performer</td> <td>performer</td> </tr> <tr> <td>pioc:producer</td> <td>producer</td> </tr> <tr> <td>pico:responsible</td> <td>responsible</td> </tr> <tr> <td>pico:translator</td> <td>translator</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | dc:contributor | contributor | pico:editor | editor | pico:performer | performer | pioc:producer | producer | pico:responsible | responsible | pico:translator | translator | <p>crm:E22_Man_Made_Object / crm:E78_Collection → crm:P31i_was_modified_by → crm:E39_Actor → crm:P1_is_identified_by → crm:E41_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal</p> |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | | | | | | | | | |
| dc:contributor | contributor | | | | | | | | | | | | | | | | |
| pico:editor | editor | | | | | | | | | | | | | | | | |
| pico:performer | performer | | | | | | | | | | | | | | | | |
| pioc:producer | producer | | | | | | | | | | | | | | | | |
| pico:responsible | responsible | | | | | | | | | | | | | | | | |
| pico:translator | translator | | | | | | | | | | | | | | | | |
| coverage | E92_Spacetime_Volume | <p>Si mappa sia l' “AMBITO CRONOLOGICO” che l' “AMBITO GEOGRAFICO”</p> | <p>crm:E22_Man_Made_Object / E78_Collection → crm:48_has_preferred_identifier → crm:E92_Spacetime_Volume</p> | | | | | | | | | | | | | | |
| creator | E39_Actor | <p>VARIABILI DI MAPPING “ROLE”</p> <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>dc:creator</td> <td>creator</td> </tr> <tr> <td>pico:autor</td> <td>author</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | dc:creator | creator | pico:autor | author | <p>crm:E22_Man_Made_Object / crm:E78_Collection → crm:P94i_was_created_by crm:E39_Actor → crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role)</p> | | | | | | | | |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | | | | | | | | | |
| dc:creator | creator | | | | | | | | | | | | | | | | |
| pico:autor | author | | | | | | | | | | | | | | | | |

| | | | rdf-schema#literal → crm:p14_performed → crm:E65_Creation | | | | | | |
|--------------|------------------------|---|--|-----------|------------|--------------|------------------------|--------------------|--|
| date | E52_Time_Span | | crm:E65_Creation → crm:P92_brought_into_existence → crm:E22_Man_Made_Object / crm:E78_Collection → crm:P4_has_time_span → crm:E52_Time_Span | | | | | | |
| description | rdf-schema#Literal | | crm:P3_has_note → rdf-schema#Literal | | | | | | |
| format | E55_Type | | crm:P2_has_type | | | | | | |
| identifier | E42_Identifier | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P48_has_preferred_identifier → crm:E42_Identifier | | | | | | |
| language | E56_Language | | crm:E22_Man_Made_Object → crm:P72_has_language → crm:E56_Language | | | | | | |
| provenance | | Nel caso di Collezione | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>CIDOC</th> <th>relazione</th> <th>Provenance</th> </tr> </thead> <tbody> <tr> <td>E22_Man_Made</td> <td>crm:P46i_forms_part_of</td> <td>crm:E78_collection</td> </tr> </tbody> </table> | CIDOC | relazione | Provenance | E22_Man_Made | crm:P46i_forms_part_of | crm:E78_collection | |
| CIDOC | relazione | Provenance | | | | | | | |
| E22_Man_Made | crm:P46i_forms_part_of | crm:E78_collection | | | | | | | |

| | | <p>Nel caso di un Ente o Un Istituto</p> <table border="1"> <thead> <tr> <th>CIDOC</th> <th>relazione</th> <th>Provenance</th> </tr> </thead> <tbody> <tr> <td>E22_Man_Made_Object</td> <td>crmdig:L29_has_responsible_organization</td> <td>crm:E40_Legal_Body</td> </tr> </tbody> </table> <p>Nel caso di una risorsa esterna alle collezioni</p> <table border="1"> <thead> <tr> <th>CIDOC</th> <th>relazioni</th> <th>Provenance</th> </tr> </thead> <tbody> <tr> <td>E22_Man_Made_Object</td> <td>crm:P53_has_former_or_current_location</td> <td>crm:E53_Place</td> </tr> </tbody> </table> | CIDOC | relazione | Provenance | E22_Man_Made_Object | crmdig:L29_has_responsible_organization | crm:E40_Legal_Body | CIDOC | relazioni | Provenance | E22_Man_Made_Object | crm:P53_has_former_or_current_location | crm:E53_Place | |
|---------------------|---|---|--|---------------------------|--------------|---------------------|---|--------------------|-------|-----------|------------|---------------------|--|---------------|--|
| CIDOC | relazione | Provenance | | | | | | | | | | | | | |
| E22_Man_Made_Object | crmdig:L29_has_responsible_organization | crm:E40_Legal_Body | | | | | | | | | | | | | |
| CIDOC | relazioni | Provenance | | | | | | | | | | | | | |
| E22_Man_Made_Object | crm:P53_has_former_or_current_location | crm:E53_Place | | | | | | | | | | | | | |
| publisher | crm:E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>dc:publisher</td> <td>publisher</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | dc:publisher | publisher | <p>crm:E22_Man_Made_Object / crm:E78_Collection → crm:P147i_was_curated_by → crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P1_is_identified_by → crm:E41_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal</p> | | | | | | | | |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | | | | | | | |
| dc:publisher | publisher | | | | | | | | | | | | | | |
| rights | E30_Right | | <p>crm:E22_Man_Made_Object / crm:E78_Collection →</p> | | | | | | | | | | | | |

| | | | |
|--------------|----------------|--|--|
| | | | crm:P104_is_subject_to → crm:E30_Right → crm:P75_is_possessed_by → crm:E40_Legal_Body (rightsHolder) |
| rightsHolder | E40_Legal_Body | | crm:E40_Legal_Body → crm:P75_possesses → crm:E30_Right |
| source | | Vedere tabelle mapping Oggetto e Collection | |
| subject | PICO THESAURUS | | |
| title | E35_title | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P1_is_identified_by → crm:E35_Title |
| type | E55_Type | | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type |

Elementi Qualificati

| PICO ELEMENTS | CIDOC-CRM | NOTE | TRIPLES |
|---------------|--------------------|------|--|
| abstract | rdf-schema#Literal | | crm:P3_has_note → rdf- schema#Literal |

| accessRights | E30_Right | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P129i_is_subject_of → crm:E30_Right → crm:P2_has_type → crm:E55_Type = "AccessRights" | | | | | | |
|-----------------------|---------------------------|--|---|---------------------------|-------------------|--------------|---|--------|---|
| alternative | E41_Appellation | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P1i_is_identified_by → crm:E35_Title → crm:P139_has_alternative_for m → crm:E41_Appellation | | | | | | |
| author | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>dc:creator</td> <td>creator</td> </tr> <tr> <td>pico:autor</td> <td>author</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | dc:creator | creator | pico:autor | author | crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | |
| dc:creator | creator | | | | | | | | |
| pico:autor | author | | | | | | | | |
| bibliographicCitation | E73_Information_Object | | crm:E22_Man_Made_Obejct / crm:E78_Collection → P67_is_referred_to_by → E73_Information_Object | | | | | | |
| commissioner | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:commissioner</td> <td>commissioner</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:commissioner | commissioner | crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → | | |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | |
| pico:commissioner | commissioner | | | | | | | | |

| | | | |
|-----------------|---------------|--|--|
| | | | → crm:P14_Performed → crm:E7_Activity |
| created | E52_Time_Span | La E65_Creation ha sempre di riferimento un E39_Actor (vedere gli schemi specifici per il riferimento alla tripla completa) | crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:94i_was_created_by → crm:E65_Creation → crm:P4:has_time_span →crm:E52_Time_Span → crm:P3_has_note → rdf-schema#Literal |
| dateAccepted | E52_Time_Span | | crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:E44_has_condition → crm:E3_Condition_State crm:P2_has_type → crm:E55_Type → crm:P4:has_time_span →crm:E52_Time_Span → |
| dateCopyrighted | E52_Time_Span | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:E44_has_condition → crm:E3_Condition_State crm:P2_has_type → crm:E55_Type → crm:P4:has_time_span →crm:E52_Time_Span |
| dateOfBirth | E52_Time_Span | Nella parte alta, trattandosi di un mapping 1:1, viene fatto riferimento al SOLO E52_Time_Span. Nel caso di definizione della tripla completa: crm:E21_Person → crm:P92_was_brought_into_existence_by | crm:E67_Birth → crm:P4:has_time_span →crm:E52_Time_Span → crm:P7took_place_at → crm:E53_Place (placeOfBirth) |

| | | → crm:E67_Birth | | | | | |
|------------------|---------------------------|---|---|---------------------------|------------------|-------------|---|
| dateOfDeath | E52_Time_Span | <p>Nella parte alta, trattandosi di un mapping 1:1, viene fatto riferimento al SOLO E52_Time_Span.</p> <p>Nel caso di definizione della tripla completa:</p> <p>crm:E21_Person → crm:P93i_was_taken_out_of_the_existence → crm:E69_Death</p> | <p>crm:E69_Death → crm:P4:has_time_span → →crm:E52_Time_Span → crm:P7took_place_at → crm:E53_Place (placeOfDeath)</p> | | | | |
| dateSubmitted | E52_Time_Span | | <p>crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:P30i_custody_transferred_through → crm:E10_Transfer_of_custody → → crm:P4:has_time_span → →crm:E52_Time_Span</p> | | | | |
| digitises | D2_Digitization_Process | E39 livello alto ma che garantisce il mapping sia della persona singola che dell'istituzione | <p>crm:E39_Actor → crmdig:L29i_is_responsible_or_ganization_for → crmdig:D2_Digitization_Process → crmdig:L1_digitized → crm:E22_Man_Made_Object</p> <p>crm:P52_has_time_span → crm:E52_Time_Span.</p> | | | | |
| distributor | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:distributor</td> <td>distributor</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:distributor | distributor | <p>crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → crm:P14_Performed →</p> |
| PICO | ROLE (rdf-schema#literal) | | | | | | |
| pico:distributor | distributor | | | | | | |

| | | | crm:E7_Activity | | | | | | | | | | | | |
|----------------|---|---|---|---------------------------|-------------|---------------|--|---------------|------|-------|----------|----------------|-------|----------------|--|
| editor | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:editor</td> <td>editor</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:editor | editor | crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → crm:P105_is_current_or_former_curator_of → crm:E24_Physical_Man_Made_Thing | | | | | | | | |
| PICO | ROLE (rdf-schema#literal) | | | | | | | | | | | | | | |
| pico:editor | editor | | | | | | | | | | | | | | |
| educationLevel | rdf-schema#Literal | xsd:string | crm:P3_has_note → rdf-schema#Literal | | | | | | | | | | | | |
| extent | E54_Dimensions OR E52_Time-Span | Oggetto Fisico (E22) <table border="1"> <thead> <tr> <th>TIPO</th> <th>CIDOC</th> </tr> </thead> <tbody> <tr> <td>AUDIO</td> <td>E52_Time-Span</td> </tr> <tr> <td>VIDEO</td> <td>E52_Time-Span</td> </tr> </tbody> </table> OR <table border="1"> <thead> <tr> <th>TIPO</th> <th>CIDOC</th> </tr> </thead> <tbody> <tr> <td>IMMAGINE</td> <td>E54_Dimensions</td> </tr> <tr> <td>TESTO</td> <td>E54_Dimensions</td> </tr> </tbody> </table> | TIPO | CIDOC | AUDIO | E52_Time-Span | VIDEO | E52_Time-Span | TIPO | CIDOC | IMMAGINE | E54_Dimensions | TESTO | E54_Dimensions | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type → AUDIO OR VIDEO crm:P4_has_time-span → crm:E52_Time-Span crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type → IMMAGINE OR TESTO → crm:P43_has_dimension → crm:E54_Dimension |
| TIPO | CIDOC | | | | | | | | | | | | | | |
| AUDIO | E52_Time-Span | | | | | | | | | | | | | | |
| VIDEO | E52_Time-Span | | | | | | | | | | | | | | |
| TIPO | CIDOC | | | | | | | | | | | | | | |
| IMMAGINE | E54_Dimensions | | | | | | | | | | | | | | |
| TESTO | E54_Dimensions | | | | | | | | | | | | | | |
| medium | E57_Material | | crm:E22_Man_Made_Obejct / crm:E78_Collection → | | | | | | | | | | | | |

| | | | crm:P45_consist_of → crm:E57_Material | | | | |
|----------------------|---------------------------|---|---|---------------------------|----------------|-----------|---|
| licence | E30_Right | | crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:P105_is_subject_to → crm:E30_Right | | | | |
| materialAndTechnique | E57_Material | | crm:E22_Man_Made_Object → crm:P45_consist_of → crm:E57_Material | | | | |
| modified | E11_Modification | | crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:P31_was_modified_by E11_Modification → crm:P4_has_time_span → crm:E52_Time_Span. crm:E11_Modification → crm:P14_carried_out_by → crm:E39_Actor | | | | |
| performer | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:performer</td> <td>performer</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:performer | performer | crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → → crm:P14_Performed → crm:E7_Activity |
| PICO | ROLE (rdf-schema#literal) | | | | | | |
| pico:performer | performer | | | | | | |
| placeOfBirth | E53_Place | <p>Nella parte alta, trattandosi di un mapping 1:1, viene fatto riferimento al SOLO E53_PLACE.</p> <p>Nel caso di definizione della tripla completa:</p> | crm:E67_Birth → crm:P4:has_time_span →crm:E52_Time_Span → crm:P7took_place_at → | | | | |

| | | <p>crm:E21_Person → crm:P92_was_brought_into_existence_by → crm:E67_Birth</p> | crm:E53_Place (placeOfBirth) | | | | |
|---------------|---------------------------|--|---|---------------------------|---------------|----------|--|
| placeOfDeath | E53_Place | <p>Nella parte alta, trattandosi di un mapping 1:1, viene fatto riferimento al SOLO E53_PLACE.</p> <p>Nel caso di definizione della tripla completa:</p> <p>crm:E21_Person → crm:P93_was_taken_out_of_existence_by → crm:E69_Death</p> | <p>crm:E69_Death → crm:P4:has_time_span → crm:E52_Time_Span → crm:P7took_place_at → crm:E53_Place (placeOfDeath)</p> | | | | |
| preview | E73_Information_Object | | <p>crm:P67_refers_to → crm:E73_Information_Object</p> | | | | |
| printer | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:printer</td> <td>printer</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:printer | printer | <p>crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → → crm:P14_Performed → crm:E7_Activity</p> |
| PICO | ROLE (rdf-schema#literal) | | | | | | |
| pico:printer | printer | | | | | | |
| producer | E39_Actor | <table border="1"> <thead> <tr> <th>PICO</th> <th>ROLE (rdf-schema#literal)</th> </tr> </thead> <tbody> <tr> <td>pico:producer</td> <td>producer</td> </tr> </tbody> </table> | PICO | ROLE (rdf-schema#literal) | pico:producer | producer | <p>crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → → crm:P14_Performed → crm:E7_Activity</p> |
| PICO | ROLE (rdf-schema#literal) | | | | | | |
| pico:producer | producer | | | | | | |
| responsible | E40_Legal_Body | | <p>crm:E40_Legal_Body →</p> | | | | |

| | | | | | |
|-----------------|-------------------------------|--|---|-------------------------------|--|
| | | | crm:P76_has_contact_point → crm:E51_Contact_Point | | |
| contact | E51_Contact_Point | | crm:E40_Legal_Body → crm:P76_has_contact_point → crm:E51_Contact_Pointre | | |
| service | E55_Type | | | | |
| spatial | E53_Place | | crm:E78_Collection / crmE22_Man_Made_Object → crm:P53:has_former_or_curre nt_location → crm:E53:Place | | |
| tableOfContents | E73_Information_Object | | crm:E78_Collection / crmE22_Man_Made_Object → crm:P67_is_referred_to_by → crm:E73_Information_Object ----- crm:E73_Information_Object → crm:P67_referes_to → crm:E78_Collection / crmE22_Man_Made_Object | | |
| temporal | E2_Temporal_Entity | | crm:E78_Collection / crm:E22_Man_Made_Object → crm:P4_has_time_span → crm:E2_Temporal_Entity | | |
| translator | E39_Actor | <table border="1"> <tr> <td>PICO</td> <td>ROLE (rdf- schema#literal)</td> </tr> </table> | PICO | ROLE (rdf- schema#literal) | crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → |
| PICO | ROLE (rdf- schema#literal) | | | | |

| | | | | | |
|-----------------|------------------------|---|---|------------|---|
| | | <table border="1"> <tr> <td>pico:translator</td> <td>translator</td> </tr> </table> | pico:translator | translator | crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → → crm:P14_Performed → crm:E7_Activity |
| pico:translator | translator | | | | |
| valid | E52_Time_Span | | crm:E78_Collection / crm:E22_Man_Made_Object → crm:P84_had_at_most_duratio n → crm:E52_Time_Span | | |
| information | rdf-schema#Literal | xsd:string | crm:P3_has_note → rdf- schema#Literal | | |
| object | E73_Information_Object | | crm:P67_refers_to → crm:E73_Information_Object | | |

Relazioni

| PICO ELEMENTS | CIDOC-CRM | NOTE | TRIPLES |
|--------------------|-------------------|--|--|
| Conforms to | crm:P67_refers_to | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P67_refers_to → crm:E70_Thing |
| Has as contributor | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P31i_was_modified_by → crm:E39_Actor → crm:P1_is_identified_by → | |

| | | | |
|--------------------|----------------------------|--|--|
| | | crm:E41_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal | |
| Has as responsible | | crm:E40_Legal_Body → crm:P107_has_current_or_for mer_member → crm:E21_Person→ crm:P76_has_contact_point → crm:E51_Contact_Point | |
| Has format | crm:P130_shows_features_of | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P130i_features_are_also_ found_on → crm:E70_Thing |
| Has part | crm:P46_is_composed_of | | crm:E78_Collection → crm:P46_is_composed_of → crm:E22_Man_Made_Obejct |
| Has version | crm:P130_shows_features_of | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P130_shows_features_of → crm:E70_Thing |
| Is digitised by | crmdig:L1i_is_digitized_by | | crm:E22_Man_Made_Object / crm:E78_Collection → crmdig:L1i_is_digitized_by → crmdig:D2_Digitization_Proces s → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) |

| | | | |
|----------------|---|---|---|
| | | | rdf-schema#literal |
| Is format of | crm:P130_features_are_also_f ound_on | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P130_features_are_also_f ound_on -> crm:E70_Thing (label=content) |
| Is version of | crm:P130_features_are_also_f ound_on | | |
| Is managed by | | E7_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type = manager | |
| Is owned by | crm:P52_has_current_owner | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P52_has_current_owner → crm:E40_Legal_Body / crm:E21_Person |
| Is part of | crm:P46i_forms_part_of | | crm:E22_Man_Made_Object / crm:E78_Collection → crm:P46i_forms_part_of → crm:E70_Thing OR crm:E22_Man_Made_Object → crm:P46i_forms_part_of → crm:E78_Collection |
| Is produced by | crm:P94i_was_created_by | | crm:E22_Man_Made_Object / crm:E78_Collection → |

| | | | |
|------------------|-----------------------------|---|--|
| | | | <p>crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_riole_of → rdfs#literal SOME ROLE</p> |
| Is promoted by | | <p>crm:E7_Activity → crm:P2_has_type → crm:E55_Type = promotion</p> | <p>crm:E7_Activity → crm:P2_has_type → crm:E55_Type = promotion crm:P12_occurred_in_the_pre sence_of → crm:E22_Man_Made_Object / crm:E78_Collection</p> |
| Is referenced by | crm:P67i_is_referred_to_by | REGOLE DI MAPPING | <p>crm:E22_Man_Made_Object / crm:E78_Collection → crm:P67i_is_referred_to_by → E31_Document</p> |
| replaces | crm:P124_was_transformed_by | <p>crm:E22_Man_Made_Object / crm:E78_Collection → crm:P124_was_transformed_b y → crm:E81_Transformation → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_riole_of → rdfs#literal SOME ROLE</p> | |
| available | | | <p>crm:E22_Man_Made_Obejct / crm:E78_Collection → crm:E44_has_condition → crm:E3_Condition_State crm:P2_has_type →</p> |


| | | | |
|--|--|--|--|
| | | | crm:E55_Type → crm:P4:has_time_span →crm:E52_Time_Span |
|--|--|--|--|

MuseiD-Italia

Al fine di garantire una completa interoperabilità semantica tra risorse presenti sul portale culturaitalia.it, museiDitalia e l'Anagrafica dei "luoghi della cultura", sono state definite tre superclassi principali:

- crm:E22_Man_Made_Object usato per definire le risorse/oggetti presenti in cultura italia.
- crm:E78_Collection usato per definire le collezioni di provenienza delle risorse/oggetti
- crm:E40_Legal_Object usato per definire l'ente o l'istituto di riferimento della collezione. Tale classe ha anche la funzione di collegare le risorse con l'anagrafica del "Luoghi della cultura"

Di seguito lo schema:



Al fine di rendere omogenea la mappatura tra profilo applicativo e risorse presenti, l'elemento dc:subject è stato valorizzato con l'elemento corrispondente del **PICO THESAURUS 4.3** ex:

```

<crm:E22_Man_Made_Object>
<crm:P2_has_type>
  <crm:E55_Type>
    <rdf:type>
      <skos:Concept rdf:about="http://culturaitalia.it/pico/thesaurus/4.1#dipinti">
        <skos:prefLabel>dipinti@it</skos:prefLabel>
        <skos:prefLabel>paintings@en</skos:prefLabel>
      </rdf:type>
    
```

```

</skos:Concept>
</crm:E55_Type>
</crm:P2_has_type>
</crm:E22_Man_Made_Object>

```

Mapping -Oggetto-

Top level class : **E22_Man_Made_Object**

Evidenziate nello stesso colore le entità con relazioni dirette

| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|---------------|---------------|---|---|
| ENTITA' | | | |
| dc:identifier | E42_Idetifier | crm:E22_Man_Made_Object → crm:P48_has_preferred_identifier → crm:E42_Identifier | <pre> <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> </pre> |
| dc: title | E35_Title | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E35_Title | <pre> <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </pre> |

| | | | |
|----------------|--------------------|---|---|
| alternative | E41_Appellation | crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation | VEDI SOPRA |
| dc:creator | E39_Actor | crm:E22_Man_Made_Object → crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation. | <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E65_Creation> </crm:P94i_was_created_by> |
| dc:subject | PICO THESAURUS | | <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="!-THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type> |
| dc:description | rdf-schema#Literal | crm:E22_Man_Made_Object → crm:P3_has_note → rdf-schema#Literal | <crm:P3_has_note> <rdf-schema#Literal> |

| | | | |
|-----------------|---------------|--|--|
| | | | </crm:P3_has_note> |
| dcterms:spatial | E53_Place | crm:E22_Man_Made_Object → crm:P53:has_former_or_current_location → crm:E53:Place | <crm:P53_has_former_or_current_location> <crm:E53_Place> <rdfs:label>PLACE</rdfs:label> </crm:E53_Place> </crm:P53_has_former_or_current_location> |
| dcterms:created | E52_Time_Span | crm:E22_Man_Made_Object → crm:P94_was_created_by → crm:E65_Creation → crm:P4:has_time_span →crm:E52_Time_Span | <crm:E22_Man_Made-Object> <crm:P94_was_created_by> <crm:E65_Creation> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdfs:label>YYYYYYYY</rdfs:label> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E65_Creation> </crm:P94_was_created_by> </crm:E22_Man_Made-Object> |
| dc:date | E52_Time_Span | crm:E65_Creation → crm:P92_brought_into_existence → crm:E22_Man_Made_Object → crm:P4_has_time_span → crm:E52_Time_Span | <crm:E65_Creation> <crm:P92_brought_into_existence> <crm:E22_Man_Made_Object> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value> ANNO </rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E22_Man_Made_Object> </crm:P92_brought_into_existence> </crm:E65_Creation> |

| | | | |
|---------------------------|--------------|--|--|
| | | | |
| dcterms:modified | E5_Event | <p>crm:E5_Event → crm:P4_has_time_span → crm:E52_Time_Span. crm:E5_Event → crm:P14_carried_out_by → crm:E39_Actor</p> | <pre><crm:P31_was_modified_by> <crm:E5_Event> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value> ANNO </rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> <crm:P14_carried_out_by> <crm:E39_Actor> <rdfs:label> ATTORE </rdfs:label> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E5_Event> </crm:P31_was_modified_by></pre> |
| dc:type | E55_Type | <p>crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type</p> | <pre><crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="<!-- THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type></pre> |
| pico:materialAndTechnique | E57_Material | <p>crm:E22_Man_Made_Object → crm:P45_consist_of → crm:E57_Material</p> | <pre><crm:P45_consist_of> <crm:E57_Material> <rdf:label>LABEL</rdfs:label> </crm:E57_Material> </crm:P45_consist_of></pre> |
| dc:rights | E30_Right | <p>crm:E22_Man_Made_Object → crm:P104_is_subject_to → crm:E30_Right → crm:P75_is_possested_by →</p> | <pre><crm:P104_is_subject_to> <crm:E30_Right> <crm:P75_is_possested_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75_is_possested_by> </crm:E30_Right> </crm:P104_is_subject_to></pre> |

| | | | |
|------------------------|------------------------|---|--|
| | | crm:E40_Legal_Body (rightsHolder) | </crm:E40_Legal_Body> </crm:P75_is_posessed_by> </crm:E30_Right> </crm:P104_is_subject_to> |
| dc:rightsHolder | E40_Legal_Body | crm:E40_Legal_Body → crm:P75_possesses → crm:E30_Right | |
| dcterms:extent | E54_Dimension | crm:E22_Mand_Made_Object → crm:P43_has_dimension → crm:E54_Dimenison | <crm:P43_has_dimension> <crm:E54_Dimension> <rdf:value> MISURE </rdf:value> </crm:E54_Dimension> </crm:P43_has_dimension> |
| pico:preview | E73_Information_Object | crm:E22_Man_Made_Object → crm:P67i_is_referred_to_by → crm:E73_Information_Object | <crm:P67i_is_referred_to_by> <crm:E73_Information_Object> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> <crm:P67i_is_referred_to_by> |
| RELAZIONI | | | |
| dcterms:isPartOf | P46i_forms_part_of | crm:E22_Man_Made_Object → crm:P46i_forms_part_of → crm:E78_Collection | <crm:P46_forms_part_of> <crm:E78_Collection> <crm:E35_Title> <rdfs:label>TITOLO COLLEZIONE</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>TITOLO ALTERNATIVO</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </crm:E78_Collection> </crm:P46_forms_part_of> |
| dcterms:isReferencedBy | P67_is_referred_to_ | crm:E22_Man_Made_Object → | VEDI SOTTO |

| | | | |
|------------------------|--|---|---|
| | by | P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier | |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by by pico:Anchor | crm:E22_Man_Made_Object → P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifier → crm:E42_Identifier | <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> |

Mapping -Collezione-

Top level class:**E78_Collection**

Evidenziate nello stesso colore le entità con relazioni dirette. La relazione **crm:P105i_Right_Held_By** garantisce la relazione tra E78_Collection e E40_Legal_Body

| PICO-ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|---------------|----------------|--|---|
| ENTITA' | | | |
| dc:identifier | E42_Identifier | crm:E78_Collection→ crm:P1_is_identified_by → crm:E42_Identifier | <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> |

| | | | |
|-----------------|--------------------|--|--|
| | | | <pre> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </crm:P1_is_identified_by> </pre> |
| dc: title | E35_title | crm:E78_Collection→ crm:P1_is_identified_by → crm:E35_Title | VEDI SOPRA |
| alternative | E41_Appellation | crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation | VEDI SOPRA |
| dc:description | rdf-schema#Literal | crm:E78_Collection → crm:P3_has_note → rdf-schema#Literal | <pre> <crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note> </pre> |
| dcterms:spatial | E53_Place | crm:E78_Collection→ crm:P53:has_former_or_current_location → crm:E53:Place | <pre> <crm:P53_has_former_or_current_location> <crm:E53_Place> <rdfs:label> LUOGO </rdfs:label> </crm:E53_Place> </crm:P53_has_former_or_current_location> </pre> |
| dcterms:created | E52_Time_Span | crm:E65_Creation → crm:P4:has_time_span →crm:E52_Time_Span | <pre> <crm:P94_was_created_by> <crm:E65_Creation> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdfs:label> CREAZIONE </rdfs:label> </crm:E52_Time_Span> </crm:P4_has_time_span> <crm:P92_brought_into_existence> <crm:E78_Collection> <crm:P4_has_time_span> </pre> |

| | | | |
|------------------|----------------|---|---|
| | | | <pre> <crm:E52_Time_Span> <rdf:value> DATA </rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E78_Collection> </crm:P92_brought_into_existence> </crm:E65_Creation> </crm:P94_was_created_by> </pre> |
| dc:date | E52_Time_Span | crm:E65_Creation → crm:P92_brought_into_existence → crm:E78_Collection → crm:P4_has_time_span → crm:E52_Time_Span | VEDI SOPRA |
| dc:type | E55_Type | crm:E78_Collection → crm:P2_has_type → crm:E55_Type | <pre> <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="<!-- THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dc:rights | E30_Right | crm:E78_Collection → crm:P104_is_subject_to → crm:E30_Right → crm:P75_is_posessed_by → crm:E40_Legal_Body (rightsHolder) | <pre> <crm:p104_is_subject_to> <crm:E30_Right> <crm:P75_is_posessed_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75_is_posessed_by> </crm:E30_Right> </crm:p104_is_subject_to> </pre> |
| dc:rightsHolder | E40_Legal_Body | crm:E40_Legal_Body → crm:P75_posesses → crm:E30_Right | |
| RELAZIONI | | | |

| | | | |
|------------------------|--|--|---|
| dcterms:isPartOf | P105_right_held_by | crm:E78_Collection → crm:P105i_right_held_by → crm:E40_Legal_Body | <crm:P105_right_held_by> <crm:E40_Legal_body> <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID LUOGO DELLA CULTURA</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> </crm:E40_Legal_body> </crm:P105_right_held_by> |
| dcterms:hasPart | P46_is_composed_of | crm:E78_Collection → crm:P46_is_composed_of → crm:E22_man_Made_Object | VEDI MAPPING dcterms:isPartOf di E22_Man_Made_Object |
| dcterms:isReferencedBy | P67_is_referred_to_by | crm:E78_Collection → P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier | VEDI SOTTO |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by pico:Anchor | crm:E78_Collection → P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifier → crm:E42_Identifier | <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> |

Mapping-Luogo della Cultura-

Top level class: **E40_Legal_Body**

Evidenziate nello stesso colore le entità con relazioni dirette. La relazione **crm:P165_Incorporates** garantisce la relazione tra E78_Collection ed E40_Legal_Body

| PICO-ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|---------------|----------------|--|--|
| ENTITA' | | | |
| dc:identifier | E42_Idetifier | crm:E40_Legal_Body → crm:P48_has_preferred_identifier → crm:E42_Identifier | <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> |
| dc:type | E55_Type | crm:E40_Legal_Body → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="<!--THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type> |
| dc:subject | PICO THESAURUS | | <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="<!--THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> |

| | | | |
|----------------|--|---|--|
| | | | <pre><skos:prefLabel>LABEL @en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type></pre> |
| dc: title | E35_title | <pre>crm:E40_Legal_Body → crm:P165_Incorporates → crm:E78_Collection → crm:P1_is_identified_by → crm:E35_Title / crm:E42_Identifier crm:E40_Legal_Body → crm:P1_is_identified_by → crm:E35_Title</pre> | <pre><crm:E40_Legal_Body> <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label> TITOLO </rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </crm:P1_is_identified_by> <crm:P165_Incorporates> <crm:E78_Collection> <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> </crm:E35_Title> </crm:P1_is_identified_by> </crm:E78_Collection> </crm:P165_Incorporates> </crm:E40_Legal_Body></pre> |
| alternative | E41_Appellation | <pre>crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation</pre> | <pre>VEDI SOPRA</pre> |
| information | <pre>rdf-schema#Literal xsd:string</pre> | <pre>crm:E40_Legal_Object → crm:P3_has_note → rdf- schema#Literal</pre> | <pre><crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note></pre> |
| dc:description | <pre>rdf-schema#Literal</pre> | <pre>crm:E40_Legal_Body → crm:P3_has_note → rdf-</pre> | <pre><crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note></pre> |

| | | | |
|----------------------|----------------------|--|--|
| | | schema#Literal | |
| contact | E51_Contact_Point | crm:E40_Legal_Body → crm:P76_has_contact_point → crm:E51_Contact_Point | <crm:P76_has_contact_point> <crm:E51_Contact_Point> <rdfs:label> CONTATTI </rdfs:label> </crm:E51_Contact_Point> </crm:P76_has_contact_point> |
| dcterms:spatial | E53_Place | crm:E40_Legal_Body→ crm:P53:has_former_or_current_location → crm:E53:Place → crm:P1_is_identified_by → crm:E45_Address → crm:P48_has_preferred_identifier → crm:E44_Place_Appellation | <crm:P53_has_former_or_current_location> <crm:E53_Place> <crm:P1_is_identified_by> <crm:E45_Address> <rdf:value> INDIRIZZO </rdf:value> </crm:E45_Address> </crm:P1_is_identified_by> <crm:P48_has_preferred_identifier> <crm:E44_Place_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E44_Place_Appellation> </crm:P48_has_preferred_identifier> </crm:E53_Place> </crm:P53_has_former_or_current_location> |
| dc:rights | E30_Right | crm:E40_Legal_Body → crm:P104_is_subject_to → crm:E30_Right → crm:P75_is_posessed_by → crm:E40_Legal_Body (rightsHolder) | <crm:p104_is_subject_to> <crm:E30_Right> <crm:P75_is_posessed_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75_is_posessed_by>ù </crm:E30_Right> </crm:p104_is_subject_to> |
| dc:rightsHolder | E40_Legal_Body | crm:E40_Legal_Body → crm:P75_posesses → crm:E30_Right | |
| PICO:Anchor | | | |
| dcterms:isReferenced | P67_is_referred_to_b | crm:E40_Legal_Body → | <crm:P67_is_referred_to_by> |

| | | | |
|----|------------------|--|---|
| By | y pico:Anchor | P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifier → crm:E42_Identifier | <pre> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> </pre> |
|----|------------------|--|---|

PICO

Gli elementi PICO sono stati mappati con un rapporto molti a uno (M:1) per cui più PICO elements possono essere mappati con la stessa classe CIDOC-CRM. La distinzione tra classi uguali ed il loro ruolo nel mapping viene definito all'interno del mapping stesso con la definizione delle triple caratterizzanti ogni elemento PICO e con regole appositamente definite. Il mapping proposto è contestualizzato rispetto la faccetta "TIPO" e le relative "IMMAGINE", "VIDEO", "SUONO", "TESTO" prendendo come riferimento per il mapping una risorsa per ciascuna faccetta.

Mapping faccetta "TIPO"

Evidenziate nello stesso colore le classi con relazioni dirette

- Immagine → crm:E36_Visual_Items
- Video → crm:E73_Information_Object
- Suono → crm:E73_Information_Object
- Testo → crm:E33_Linguistic_Object

| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|---------------------------------|-----------|--|---|
| IMMAGINE - E36_Visual_Items- | | crm:E36_Visual_Items → crm:P67i_is_referred_to_by → crm:E22_Man_Made_Object | <pre><crm:E36_Visual_Items> <crm:P67i_is_referred_to_by> <!-- crm:P67_refers_to--> <crm:E22_Man_Made_Object></pre> |
| dcterms:accessRights | E30_Right | crm:P129i_is_subject_of → crm:E30_Right → crm:P2_has_type → crm:E55_Type = "AccessRights" | <pre><crm:P129i_is_subject_of> <crm:E30_Right> <crm:P2_has_type> <crm:E55_Type> <rdfs:label> DIRITTI </rdfs:label> </crm:E55_Type> </crm:P2_has_type> </crm:E30_Right></pre> |

| | | | |
|---------------|-----------------------|---|---|
| | | | </crm:P129i_is_subject_of> |
| dc:identifier | E42_Idetifier | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E42_Identifier | <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> |
| dc:creator | E39_Actor | crm:E22_Man_Made_Object → crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal | <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value>DATA</rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> <crm:P14.1_in_the_role_of> <crm:E55_Type> </crm:E55_Type> <rdfs:label>CREATOR</rdfs:label> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E65_Creation> </crm:P94i_was_created_by> |
| dc:subject | E28_Conceptual_Object | crm:E22_Man_Made_Object → crm:P129_is_about → | <crm:P129_is_about_> <crm:E28_Conceptual_Object> |

| | | | |
|----------------|--------------------|--|---|
| | | crmE28_Conceptual_Object | <pre> <rdfs:label>LABEL SOGGETTO</rdfs:label> </crm:E28_Conceptual_Object> </crm:P129_is_about_> </pre> |
| dc:description | rdf-schema#Literal | <pre> crm:E22_Man_Made_Object → crm:P3_has_note → rdf- schema#Literal </pre> | <pre> <crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note> </pre> |
| dc: title | E35_Title | <pre> crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E35_Title </pre> | <pre> <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </pre> |
| alternative | E41_Appellation | <pre> crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation </pre> | VEDI SOPRA |
| dc:subject | PICO THESAURUS | | <pre> <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="!!--THESAURUS -- "> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |

| | | | |
|---------------------------|----------------|---|---|
| | | | |
| dcterms:spatial | E53_Place | crm:E22_Man_Made_Object → crm:P53:has_former_or_current_location → crm:E53:Place | <crm:P53_has_former_or_current_location> <crm:E53_Place> <rdfs:label>PLACE</rdfs:label> </crm:E53_Place> </crm:P53_has_former_or_current_location> |
| dc:date | E52_Time_Span | crm:E65_Creation → crm:P92_brought_into_existence → crm:E22_Man_Made_Object → crm:P4_has_time_span → crm:E52_Time_Span | VEDI SOPRA dc:creator |
| pico:materialAndTechnique | E57_Material | crm:E22_Man_Made_Object → crm:P45_consist_of → crm:E57_Material | <crm:45_consist_of> <crm:E57_Material> <rdfs:label> LABEL </rdfs:label> </crm:E57_Material> </crm:45_consist_of> |
| dc:provenance | E40_Legal_Body | E22_Man_Made_Object → crmdig:L29_has_responsible_organization → crm:E40_Legal_Body | <crmdig:L29_has_responsible_organization> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crmdig:L29_has_responsible_organization> |
| dc:format | E55_Type | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdfs:label>LABEL</rdfs:label> <crm:E55_Type> </crm:P2_has_type> |
| dc:type | E55_Type | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="<!-- THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> |

| | | | |
|--------------------|----------------------------|---|--|
| | | | <pre> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dcterms:extent | E54_Dimension | <pre> crm:E22_Mand_Made_Object → crm:P43_has_dimension → crm:E54_Dimension </pre> | <pre> <crm:P43_has_dimension> <crm:E54_Dimension> <rdf:value> MISURE / QUANTITA' </rdf:value> </crm:E54_Dimension> </crm:P43_has_dimension> </pre> |
| dc:coverage | E92_Spacetime_Volume | <pre> crm:E22_Man_Made_Object → crm:48_has_preferred_identifier → crm:E92_Spacetime_Volume </pre> | <pre> <crm:P48_has_preferred_identifier> <crm:E92_Spacetime_Volume> <rdfs:label> LABEL </rdfs:label> </crm:E92_Spacetime_Volume> </crm:P48_has_preferred_identifier> </pre> |
| pico:preview | E73_Information_Obejct | <pre> crm:E22_Man_Made_Object → crm:P67i_is_referred_to_by → crm:E73_Information_Object→ crm:E38_Image </pre> | <pre> <crm:P67i_is_referred_to_by> <crm:E73_Information_Object> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> <crm:P67i_is_referred_to_by> </pre> |
| RELAZIONI | | | |
| pico:isDigitizedBy | crmdig:L1i_is_digitized_by | <pre> crm:E22_Man_Made_Object → crmdig:L1i_is_digitized_by → crmdig:D2_Digitization_Process → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf- schema#literal </pre> | <pre> <crm:E22_Man_Made_Object> <crmdig:D2_Digitization_Process> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> CREATOR </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crmdig:D2_Digitization_Process> </pre> |

| | | | |
|------------------------|--|---|--|
| | | | </crm:E22_Man_Made_Object> |
| dcterms:isPartOf | P46i_forms_part_of | crm:E22_Man_Made_Object → crm:P46i_forms_part_of → crm:E78_Collection | <crm:P46_forms_part_of> <crm:E78_Collection> <crm:E35_Title> <rdfs:label>TITOLO COLLEZIONE</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>TITOLO ALTERNATIVO</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </crm:E78_Collection> </crm:P46_forms_part_of> |
| dcterms:isReferencedBy | P67_is_referred_to_by | crm:E22_Man_Made_Object → P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier | VEDI SOTTO |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by pico:Anchor | crm:E22_Man_Made_Object → P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifie r → crm:E42_Identifier | <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> |
| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |

| | | | |
|------------------------------------|--------------------|---|--|
| VIDEO - E73_Information_Object- | | crm:E73_Information_Object → crm:P67i_is_referred_to_by → crm:E22_Man_Made_Object | <crm:E73_Information_Object> <crm:P67i_is_referred_to_by> <!-- crm:P67_refers_to--> <crm:E22_Man_Made_Object> |
| dc:title | E35_Title | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E35_Title | <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> |
| alternative | E41_Appellation | crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation | VEDI SOPRA |
| dc:subject | PICO THESAURUS | | <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="<!--THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> |
| dc:description | rdf-schema#Literal | crm:E22_Man_Made_Object → crm:P3_has_note → rdf- schema#Literal | <crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note> |
| dc:type | E55_Type | crm:E22_Man_Made_Object → | |

| | | | |
|-----------------|----------------------|--|---|
| | | crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdfs:label> LABEL </rdfs:label> </crm:E55_Type> </crm:P2_has_type> |
| dc:format | E55_Type | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdfs:label>LABEL</rdfs:label> <crm:E55_Type> </crm:P2_has_type> |
| dc:identifier | E42_Idetifier | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E42_Identifier | <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> |
| dcterms:spatial | E53_Place | crm:E22_Man_Made_Object → crm:P53:has_former_or_current_location → crm:E53:Place | <crm:P53_has_former_or_current_location> <crm:E53_Place> <rdfs:label> LUOGO </rdfs:label> </crm:E53_Place> </crm:P53_has_former_or_current_location> |
| dc:coverage | E92_Spacetime_Volume | crm:E22_Man_Made_Object → crm:48_has_preferred_identifier → crm:E92_Spacetime_Volume | <crm:P48_has_preferred_identifier> <crm:E92_Spacetime_Volume> <rdfs:label> LABEL </rdfs:label> </crm:E92_Spacetime_Volume> </crm:P48_has_preferred_identifier> |
| dc:contributor | crm:E39_Actor | crm:E22_Man_Made_Object → crm:P31i_was_modified_by → crm:E39_Actor → crm:P1_is_identified_by → crm:E41_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type → rdf- | <crm:P31i_was_modified_by> <crm:E39_Actor> <crm:P1_is_identified_by> <crm:E41_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P1_is_identified_by> </crm:P14.1_in_the_role_of> |

| | | | |
|-----------------|-----------------------|---|--|
| | | schema#literal CONTRIBUTOR | <pre> <crm:E55_Type> <rdfs:literal>CONTRIBUTOR</rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P31i_was_modified_by> </pre> |
| dc:rightsHolder | E40_Legal_Body | CRM:E30_Right→ crm:P75i_is_possessed_by → crm:E40_Legal_Body | <pre> <crm:E22_Man_Made_Object> <crm:P104_is_subject_to> <crm:E30_Right> <crm:P75i_is_possessed_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75i_is_possessed_by> </crm:E30_Right> </crm:P104_is_subject_to> </crm:E22_Man_Made_Object> </pre> |
| dcterms:extent | E54_Dimension | crm:E22_Mand_Made_Object → crm:P43_has_dimension → crm:E54_Dimenison | <pre> <crm:P43_has_dimension> <crm:E54_Dimension> <rdf:value> MISURE / QUANTITA' </rdf:value> </crm:E54_Dimension> </crm:P43_has_dimension> </pre> |
| dc:subject | E28_Conceptual_Object | crm:E22_Man_Made_Object → crm:P129_is_about → crmE28_Conceptual_Object | <pre> <crm:P129_is_about> <crm:E28_Conceptual_Object> <rdfs:label>LABEL </rdfs:label> SOGGETTO<rdfs:label> </crm:E28_Conceptual_Object> </crm:P129_is_about_> </pre> |
| pico:author | E39_Actor | crm:E22_Man_Made_Object → crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → | <pre> <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> </pre> |

| | | | |
|----------------|-----------|--|---|
| | | <p>crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation.</p> <p>crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal</p> | <pre> <crm:E82_Actor_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal>AUTHOR</rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P94i_was_created_by> </crm:E65_Creation> </crm:P106_was_produced_by> </pre> |
| pico:performer | E39_Actor | <p>crm:E39_Actor → crm:P1_is_identified_by → crm:E82_Actor_Appellation crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf-schema#literal → → crm:P11_Participated_in → crm:E7_Activity → crm:P123_resulted_in → crm:E22_Man_Made_Object</p> | <pre> <crm:E39_Actor> <crm:P1_is_identified_by> <crm:E82_Actor_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P1_is_identified_by> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal>PERFORMER</rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> <crm:P11_Participated_in> <crm:E7_Activity> <crm:P123_resulted_in> <crm:E22_Man_Made_Object> <!-- SI RIPRENDE LA TRIPLA DI MAN MADE OBJECT --> </crm:E22_Man_Made_Object> </crm:P123_resulted_in> </crm:E7_Activity> </crm:P11_Participated_in> </crm:E39_Actor> </pre> |

| | | | |
|------------------------|-----------------------|---|--|
| pico:editor | E39_Actor | <p>crm:E22_Man_Made_Object → crm:P147i_was_curated_by → crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation.</p> <p>crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type → rdf-schema#litera (EDITOR)</p> | <pre><crm:E22_Man_Made_Object> <crm:P147i_was_curated_by> <crm:E87_Curation_Activity> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:litteral> EDITOR </rdfs:litteral> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E87_Curation_Activity> </crm:P147i_was_curated_by> </crm:E22_Man_Made_Object></pre> |
| pico:preview | E38_Image | <p>crm:E22_Man_Made_Object → crm:P67i_is_referred_to_by → crm:E73_Information_Object</p> | <pre><crm:P67i_is_referred_to_by> <crm:E73_Information_Object> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> <crm:P67i_is_referred_to_by></pre> |
| RELAZIONI | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by | <p>crm:E22_Man_Made_Object → P67 is referred to by → crm:E31_Document crm:E38_Image crm:E84_Information_Carrier</p> | VEDI SOTTO |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by | <p>crm:E22_Man_Made_Object →</p> | <pre><crm:P67_is_referred_to_by></pre> |

| | | | |
|------------------------------------|---------------|--|--|
| | pico:Anchor | P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifie r → crm:E42_Identifier | <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> |
| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
| SUONO - E73_Information_Object- | | crm:E73_Information_Object → crm:P67i_is_referred_to_by → crm:E22_Man_Made_Object | <crm:E73_Information_Object> <crm:P67i_is_referred_to_by> <!-- crm:P67_refers_to--> <crm:E22_Man_Made_Object> |
| dcterms:accessRights | E30_Right | crm:P129i_is_subject_of → crm:E30_Right → crm:P2_has_type → crm:E55_Type = "AccessRights" | <crm:P129i_is_subject_of> <crm:E30_Right> <crm:P2_has_type> <crm:E55_Type> <rdfs:label> DIRITTI </rdfs:label> </crm:E55_Type> </crm:P2_has_type> </crm:E30_Right> </crm:P129i_is_subject_of> |
| dc:identifier | E42_Idetifier | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E42_Identifier | <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> |
| dc: title | E35_Title | crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E35_Title | <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> |

| | | | |
|--------------|-----------------|--|---|
| | | | <pre> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </pre> |
| alternative | E41_Appellation | <pre> crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation </pre> | VEDI SOPRA |
| dc:creator | E39_Actor | <pre> crm:E22_Man_Made_Object → crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifie r → crm:E82_Actor_Appellation. </pre> | <pre> <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value>DATA</rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:P94i_was_created_by> </crm:E65_Creation> </crm:P106_was_produced_by> </pre> |
| dc:publisher | E39_Actor | <pre> crm:E22_Man_Made_Object → crm:P147i_was_curated_by → crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifie r → crm:E82_Actor_Appellation. crm:E39_Actor → </pre> | <pre> <crm:E22_Man_Made_Object> <crm:P147i_was_curated_by> <crm:E87_Curation_Activity> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> </pre> |

| | | | |
|----------------|-----------------------|--|---|
| | | crm:P14.1_in_the_role_of → crm:E55_Type → rdf- schema#litera (PUBLISHER) | <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> PUBLISHER </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E87_Curation_Activity> </crm:P147i_was_curated_by> </crm:E22_Man_Made_Object> |
| dc:subject | E28_Conceptual_Object | crm:E22_Man_Made_Object → crm:P129_is_about → crmE28_Conceptual_Object | <crm:P129_is_about_> <crm:E28_Conceptual_Object> <rdfs:label>LABEL SOGGETTO</rdfs:label> </crm:E28_Conceptual_Object> </crm:P129_is_about_> |
| dc:contributor | crm:E39_Actor | crm:E22_Man_Made_Object → crm:P31i_was_modified_by → crm:E39_Actor → crm:P1_is_identified_by → crm:E41_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type → rdf- schema#literal CONTRIBUTOR | <crm:P31i_was_modified_by> <crm:E39_Actor> <crm:P1_is_identified_by> <crm:E41_Appellation> <rdfs:label>ACTOR APPELLATION</rdfs:label> </crm:E82_Actor_Appellation> </crm:P1_is_identified_by> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal>CONTRIBUTOR</rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P31i_was_modified_by> |
| dc:date | E52_Time_Span | crm:E65_Creation → crm:P92_brought_into_existence → crm:E22_Man_Made_Object → crm:P4_has_time_span → | VEDERE DC:CREATOR |

| | | | |
|-----------------|------------------------|--|---|
| | | crm:E52_Time_Span | |
| dc:format | E55_Type | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdfs:label>LABEL</rdfs:label> </crm:E55_Type> </crm:P2_has_type> |
| dc:rightsHolder | E40_Legal_Body | CRM:E30_Right→ crm:P75i_is_posessed_by → crm:E40_Legal_Body | <crm:E22_Man_Made_Object> <crm:P104_is_subject_to> <crm:E30_Right> <crm:P75i_is_posessed_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75i_is_posessed_by> </crm:E30_Right> </crm:P104_is_subject_to> </crm:E22_Man_Made_Object> |
| dc:type | E55_Type | crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type | <crm:P2_has_type> <crm:E55_Type> <rdfs:label> LABEL </rdfs:label> </crm:E55_Type> </crm:P2_has_type> |
| dc:subject | PICO THESAURUS | | <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="!-THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type> |
| pico:preview | E73_Information_Object | crm:E22_Man_Made_Object → | <crm:P67i_is_referred_to_by> |

| | | | |
|------------------------|----------------------------|---|--|
| | | crm:P67i_is_referred_to_by → crm:E73_Information_Object | <crm:E73_Information_Obejct> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> <crm:P67i_is_referred_to_by> |
| RELAZIONI | | | |
| dc:relation | P67_refers_to | crm:E22_Man_Made_Object | <crm:E22_Man_Made_Object> <crm:P67_refers_to> <crm:E28_Conceptual_Object> <rdfs:label> LABEL </rdfs:label> </crm:E28_Conceptual_Object> </crm:P67_refers_to> </crm:E22_Man_Made_Object> |
| pico:isDigitizedBy | crmdig:L1i_is_digitized_by | crm:E22_Man_Made_Object → crmdig:L1i_is_digitized_by → crmdig:D2_Digitization_Process → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf- schema#literal | <crm:E22_Man_Made_Object> <crmdig:D2_Digitization_Process> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> CREATOR </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crmdig:D2_Digitization_Process> </crm:E22_Man_Made_Object> |
| dcterms:isReferencedBy | P67_is_referred_to_by | crm:E22_Man_Made_Object → P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier | VEDI SOTTO |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by | crm:E22_Man_Made_Object → P67_is_referred_to_by → | <crm:P67_is_referred_to_by> |

| | | | |
|-----------------------------------|---------------|--|---|
| | pico:Anchor | <pre> crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifie r → crm:E42_Identifier </pre> | <pre> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> </pre> |
| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
| TESTO - E33_Linguistic_Object- | | <pre> crm:E33_Linguistic_Object → crm:P67i_is_referred_to_by → crm:E22_Man_Made_Object </pre> | <pre> <crm:E33_Linguistic_Object> <crm:P67i_is_referred_to_by> <!-- crm:P67_refers_to--> <crm:E22_Man_Made_Object> </pre> |
| dc:format | E55_Type | <pre> crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type </pre> | <pre> <crm:P2_has_type> <crm:E55_Type> <rdfs:label>LABEL</rdfs:label> <crm:E55_Type> </crm:P2_has_type> </pre> |
| dc:identifier | E42_Idetifier | <pre> crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E42_Identifier </pre> | <pre> <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> </crm:P1_is_identified_by> </pre> |
| dc:language | E56_Language | <pre> cr:E22_Man_Made_Object → crm_P72_has_language → crm:E56_Language </pre> | <pre> <crm:E33_Linguistic_Object> <crm:P76_has_language> <crm:E56_Language> <rdfs:label> LABEL <rdfs:language> </crm:E56_Language> </crm:P76_has_language> </crm:E33_Linguistic_Object> </pre> |
| dc:publisher | E39_Actor | <pre> crm:E22_Man_Made_Object → </pre> | <pre> <crm:E33Linguistic_Object> </pre> |

| | | | |
|------------|----------------|---|---|
| | | <p>crm:P147i_was_curated_by → crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifier → crm:E82_Actor_Appellation.</p> <p>crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type → rdf-schema#litera (PUBLISHER)</p> | <pre><crm:P147i_was_curated_by> <crm:E87_Curation_Activity> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> PUBLISHER </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E87_Curation_Activity> </crm:P147i_was_curated_by> </crm:E33_Linguistic_Object></pre> |
| dc:rights | E30_Right | <p>crm:E22_Man_Made_Object → crm:P104_is_subject_to → crm:E30_Right → crm:P75_is_posessed_by → crm:E40_Legal_Body (rightsHolder)</p> | <pre><crm:p104_is_subject_to> <crm:E30_Right> <crm:P75_is_posessed_by> <crm:E40_Legal_Body> <rdfs:label> LABEL </rdfs:label> </crm:E40_Legal_Body> </crm:P75_is_posessed_by> </crm:E30_Right> </crm:p104_is_subject_to></pre> |
| dc:subject | PICO THESAURUS | | <pre><crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="!-THESAURUS --"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept></pre> |

| | | | |
|-----------------|-----------------|--|--|
| | | | <pre> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dc: title | E35_Title | <pre> crm:E22_Man_Made_Object → crm:P1_is_identified_by → crm:E35_Title </pre> | <pre> <crm:P1_is_identified_by> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </pre> |
| alternative | E41_Appellation | <pre> crm:E35_Title → crm:P139_has_alternative_form → crm:E41_Appellation </pre> | VEDI SOPRA |
| dc:type | E55_Type | <pre> crm:E22_Man_Made_Object → crm:P2_has_type → crm:E55_Type </pre> | <pre> <crm:P2_has_type> <crm:E55_Type> <skos:Concept rdf:about="<!-- THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dcterms:created | E52_Time_Span | <pre> crm:E22_Man_Made_Object → crm:P94_was_created_by → crm:E65_Creation → crm:P4:has_time_span →crm:E52_Time_Span </pre> | VEDERE PICO:AUTHOR |
| dcterms:extent | E54_Dimension | <pre> crm:E22_Mand_Made_Object → crm:P43_has_dimension → crm:E54_Dimenison </pre> | <pre> <crm:P43_has_dimension> <crm:E54_Dimension> <rdf:value> MISURE / QUANTITA' </rdf:value> </crm:E54_Dimension> </pre> |

| | | | |
|------------------|------------------|--|---|
| | | | </crm:P43_has_dimension> |
| dcterms:licence | E30_Right | crm:E22_Man_Made_Object → crm:P105_is_subject_to → crm:E30_Right | <crm:E22_Man_Made_Object> <crm:P105_is_subject_to> <crm:E30_Right> <rdfs:label> LABEL </rdfs:label> </crm:E30_Right> </crm:P105_is_subject_to> </crm:E22_Man_Made_Object> |
| dcterms:modified | E11_Modification | crm:E22_Man_Made_Object → crm:P31i_was_modified_by → crm:E11_Modification → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type → rdfs#schemaLiteral → CONTRIBUTOR crm:E11_Modification → crm:P4_has_time_span → E52_Time_Span | <crm:E22_Man_Made_Object> <crm:P31i_was_modified_by> <crm:E11_Modification> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> CONTRIBUTOR </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdfs:value> DATE </rdfs:value> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E11_Modification> </crm:P31i_was_modified_by> </crm:E22_Man_Made_Object> |
| pico:author | E39_Actor | crm:E22_Man_Made_Object → crm:P94i_eas_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifie | <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> CREATOR </rdfs:literal> |

| | | | |
|------------------------|---|--|---|
| | | <p>r → crm:E82_Actor_Appellation.</p> <p>crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf- schema#literal</p> | <pre> </crm:E55_Type> </crm:P14.1_in_the_role_of> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label>NOME ATTORE @it</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> </crm:E39_Actor> </crm:P14_carried_out_by> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value>DATA</rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E65_Creation> </crm:P94i_was_created_by> </pre> |
| RELAZIONI | | | |
| Is part of | crm:P46i_forms_part_of | <p>crm:E22_Man_Made_Object → crm:P46i_forms_part_of → crm:E78_Collection</p> | <pre> <crm:E22_Man_Made_Object> <crm:P46i_forms_part_of> <crm:E78_Collection> <rdfs:label> LABEL </rdfs:label> </crm:E78_Collection> </crm:P46i_forms_part_of> </crm:E22_Man_Made_Object> </pre> |
| dcterms:isReferencedBy | P67_is_referred_to_by | <p>crm:E22_Man_Made_Object → P67_is_referred_to_by → crm:E31_Document</p> | VEDI SOTTO |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | <p>P67_is_referred_to_by</p> <p>pico:Anchor</p> | <p>crm:E22_Man_Made_Object → P67_is_referred_to_by → crm:E31_Document → crm:P48_has_preferred_identifie r → crm:E42_Identifier</p> | <pre> <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </pre> |

| | | | |
|--|--|--|---|
| | | | <pre> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> </pre> |
|--|--|--|---|

Mapping Collezione

| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|---------------------------------|---------------|--|---|
| Collezione - E78_Collection- | | | |
| dc:identifier | E42_Idetifier | crm:E78_Collection→ crm:P48_has_preferred_identifie r → crm:E42_Identifier | <pre> <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> <crm:P139_has_alternative_form> <crm:E41_Appellation> <rdfs:label>APPELLATION</rdfs:label> </crm:E41_Appellation> </crm:P139_has_alternative_form> </crm:E35_Title> </crm:P1_is_identified_by> </pre> |
| dc: title | E35_title | crm:E78_Collection→ crm:P1_is_identified_by → crm:E35_Title | VEDI SOPRA |
| dc:type | E55_Type | crm:E78_Collection → crm:P2_has_type → crm:E55_Type | <pre> <crm:P2_has_type> <crm:E55_Type> <rdf:type> </pre> |

| | | | |
|------------------------|-----------------------|--|---|
| | | | <pre> <skos:Concept rdf:about="<!-- THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dc:description | | <pre> crm:E78_Collection → crm:P3_has_note → rdf- schema#Literal </pre> | <pre> <crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note> </pre> |
| dc:date | E52_Time_Span | <pre> crm:E78_Collection → crm:P4_has_time_span → crm:E52_Time_Span </pre> | <pre> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdfs:label> DATA </rdfs:label> </crm:E52_Time_Span> </crm:P4_has_time_span> </pre> |
| dc:subject | PICO THESAURUS | | <pre> <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="<!--THESAURUS -- -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dcterms:isReferencedBy | P67_is_referred_to_by | <pre> crm:E78_Collection → P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / </pre> | VEDI SOTTO |

| | | | |
|------------------------|--|---|---|
| | | crm:E84_Information_Carrier | |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | P67_is_referred_to_by pico:Anchor | crm:E78_Collection → P67 is referred to by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifie r → crm:E42_Identifier | <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> |
| Is produced by | crm:P94i_was_created_by | crm:E78_Collection → crm:P94i_was_created_by → crm:E65_Creation → crm:P14_carried_out_by → crm:E39_Actor → crm:P48_has_preferred_identifie r → crm:E82_Actor_Appellation. crm:E39_Actor → crm:P14.1_in_the_role_of → crm:E55_Type →(some role) rdf- schema#literal | <crm:P94i_was_created_by> <crm:E65_Creation> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> CREATOR </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label>NOME ATTORE @it</rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> </crm:E39_Actor> </crm:P14_carried_out_by> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdf:value>DATA</rdf:value> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E65_Creation> </crm:P94i_was_created_by> |

| | | | |
|-----------------|------------------------|---|---|
| Is managed by | P147_curated | crm:E78_Collection → crm:P147i_was_curated_by → crm:E87_Curation_Activity → crm:P14_carried_out_by → crm:E39_Actor → crm:P14.1_in_the_riole_of → rdfs#literal SOME ROLE | <pre> <crm:P147i_was_curated_by> <crm:E87_Curation_Activity> <crm:P14_carried_out_by> <crm:E39_Actor> <crm:P48_has_preferred_identifier> <crm:E82_Actor_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E82_Actor_Appellation> </crm:P48_has_preferred_identifier> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> EDITOR </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P14_carried_out_by> </crm:E87_Curation_Activity> </crm:P147i_was_curated_by> </pre> |
| pico:preview | E73_Information_Object | crm:E22_Man_Made_Object → crm:P67i_is_referred_to_by → crm:E73_Information_Object | <pre> <crm:P67i_is_referred_to_by> <crm:E73_Information_Object> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> <crm:P67i_Is_referred_to_by> </pre> |
| dcterms:hasPart | P46_is_composed_of | crm:E78_Collection → crm:P46_is_composed_of → crm:E78_Collection | <pre> <crm:P46_is_composed_of> <crm:E78_Collection> <!--RICORSIVA - FA RIFERIMENTO ALLE SOTTO COLLEZIONI--> </crm:E78_Collection> </crm:P46_is_composed_of> </pre> |

Mapping Ente

| PICO ELEMENTS | CIDOC-CRM | TRIPLES | ESEMPIO RDF |
|-----------------------|-------------------|---|--|
| Ente -E40_Legal_Body- | | | |
| dc:type | E55_Type | crm:E40_Legal_Body → crm:P2_has_type → crm:E55_Type | <pre> <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="<!--THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dc:identifier | E42_Idetifier | crm:E40_Legal_Body→ crm:P48_has_preferred_identifier → crm:E42_Identifier | <pre> <crm:P1_is_identified_by> <crm:E42_Identifier> <rdf:value>ID</rdf:value> </crm:E42_Identifier> <crm:E35_Title> <rdfs:label>TITOLO</rdfs:label> </crm:E35_Title> </crm:P1_is_identified_by> </pre> |
| dc:subject | PICO THESAURUS | | <pre> <crm:P2_has_type> <crm:E55_Type> <rdf:type> <skos:Concept rdf:about="<!--THESAURUS -->"> <skos:prefLabel>LABEL@it</skos:prefLabel> <skos:prefLabel>LABEL@en</skos:prefLabel> </skos:Concept> </pre> |

| | | | |
|-----------------|--------------------|---|--|
| | | | <pre> </rdf:type> </crm:E55_Type> </crm:P2_has_type> </pre> |
| dc: title | E35_title | <pre> crm:E40_Legal_Body → crm:P1_is_identified_by → crm:E35_Title </pre> | VEDI TRIPLA dc:identifier |
| dc:description | rdf-schema#Literal | <pre> crm:E40_Legal_Body → crm:P3_has_note → rdf- schema#Literal </pre> | <pre> <crm:P3_has_note> <rdf-schema#Literal> </crm:P3_has_note> </pre> |
| contact | E51_Contact_Point | <pre> crm:E40_Legal_Body → crm:P76_has_contact_point → crm:E51_Contact_Point </pre> | <pre> <crm:P76_has_contact_point> <crm:E51_Contact_Point> <rdfs:label> CONTATTI </rdfs:label> </crm:E51_Contact_Point> </crm:P76_has_contact_point> </pre> |
| dcterms:spatial | E53_Place | <pre> crm:E40_Legal_Body→ crm:P53:has_former_or_current_locati on → crm:E53:Place → crm:P1_is_identified_by → crm:E45_Address → crm:P48_has_preferred_identifier → crm:E44_Place_Appellation </pre> | <pre> <crm:P53_has_former_or_current_location> <crm:E53_Place> <crm:P1_is_identified_by> <crm:E45_Address> <rdf:value> INDIRIZZO </rdf:value> </crm:E45_Address> </crm:P1_is_identified_by> <crm:P48_has_preferred_identifier> <crm:E44_Place_Appellation> <rdfs:label> APPELLATION </rdfs:label> </crm:E44_Place_Appellation> </crm:P48_has_preferred_identifier> </crm:E53_Place> </crm:P53_has_former_or_current_location> </pre> |
| dcc:date | E52_Time_Span | <pre> crm:E40_Legal_Body → crm:P92i_was_brought_into_existenc e_by → crm:E5_Event → crm:P4_has_time_span → crm:E52_Time_Span </pre> | <pre> <crm:P92i_was_brought_into_existence_by> <crm:E5_Event> <crm:P4_has_time_span> <crm:E52_Time_Span> <rdfs:label> DATA </rdfs:label> </pre> |

| | | | |
|------------------------|--|--|---|
| | | | <pre> </crm:E52_Time_Span> </crm:P4_has_time_span> </crm:E5_Event> </crm:P92i_was_brought_into_existence_by> </pre> |
| pico:preview | E73_Information_Object | <pre> crm:E22_Man_Made_Object → crm:P67i_is_referred_to_by → crm:E73_Information_Object </pre> | <pre> <crm:P67i_is_referred_to_by> <crm:E73_Information_Object> <rdfs:label>URI</rdfs:label> </crm:E73_Information_Object> </crm:P67i_is_referred_to_by> </pre> |
| PICO:Anchor | | | |
| dcterms:isReferencedBy | <pre> P67_is_referred_to_by pico:Anchor </pre> | <pre> crm:E40_Legal_Body → P67_is_referred_to_by → crm:E31_Document / crm:E38_Image / crm:E84_Information_Carrier → crm:P48_has_preferred_identifier → crm:E42_Identifier </pre> | <pre> <crm:P67_is_referred_to_by> <crm:E31_Document> <crm:P48_has_preferred_identifier> <crm:E42_Identifier> <rdfs:label> PICO ANCHOR </rdfs:label> </crm:E42_Identifier> </crm:P48_has_preferred_identifier> </crm:E31_Document> </crm:P67_is_referred_to_by> </pre> |
| pico:is_managed_by | | <pre> crm:P95_was_formed_by → crm:E39_Actor → crm:P105i_has_right_on → crm:P14.1_in_the_role_of → crm:E55_Type = manager </pre> | <pre> <crm:P107_has_current_or_former_member> <crm:E39_Actor> <crm:P14.1_in_the_role_of> <crm:E55_Type> <rdfs:literal> MANAGER </rdfs:literal> </crm:E55_Type> </crm:P14.1_in_the_role_of> </crm:E39_Actor> </crm:P107_has_current_or_former_member> </pre> |